

New flavors of pg_top

Michael Paquier
pgunconf#2 @ Tokyo
2013/07/13

The lecturer

- Michael Paquier
- Working at VMware on PostgreSQL
- Contact
 - Twitter @michaelpq
 - Mail michael.paquier@gmail.com

About pg_top

- Equivalent of top command for Postgres
 - backend process information (state...)
 - memory, CPU, swap info
- Code:
 - Main repo http://git.postgresql.org/git/pg_top.git
 - Github: https://github.com/markwkm/pg_top.git

Past shape

- Default output

```
last pid: 596; load avg: 0.07, 0.02, 0.01;    up 0+00:28:32 09:22:56
```

```
1 processes: 1 sleeping
```

```
CPU states: 0.7% user, 0.0% nice, 0.5% system, 98.8% idle, 0.0% iowait
```

```
Memory: 349M used, 15G free, 18M buffers, 158M cached
```

```
Swap: 100M free
```

```
PID USERNAME PRI NICE SIZE RES STATE TIME WCPU CPU COMMAND
715 ioltas 20 0 172M 82M run 0:06 10.36% 73.63% postgres: ioltas ioltas [local] INSERT
743 ioltas 20 0 172M 5416K sleep 0:00 0.00% 0.00% postgres: ioltas ioltas [local] idle
```

New things

- Use of long options
- Readable --help message
- New system information
 - Database TPS
 - Database I/O
 - Database disk

New shape

- And here is now how it is...

```
last pid: 596; load avg: 0.07, 0.02, 0.01;    up 0+00:28:32 09:22:56
```

```
1 processes: 1 sleeping
```

```
CPU states: 0.7% user, 0.0% nice, 0.5% system, 98.8% idle, 0.0% iowait
```

```
Memory: 349M used, 15G free, 18M buffers, 158M cached
```

```
DB activity: 6 tps, 0 rollbs/s, 6 buffer r/s, 97 hit%, 144 row r/s, 0 row w/s
```

```
DB I/O: 0 reads/s, 0 KB/s, 1 writes/s, 11 KB/s
```

```
DB disk: 48.6 GB total, 13.4 GB free (72% used)
```

```
Swap: 100M free
```

```
PID USERNAME PRI NICE SIZE RES STATE TIME WCPU CPU COMMAND
715 ioltas 20 0 172M 82M run 0:06 10.36% 73.63% postgres: ioltas ioltas [local] INSERT
743 ioltas 20 0 172M 5416K sleep 0:00 0.00% 0.00% postgres: ioltas ioltas [local] idle
```

Thanks for your attention!